

ES EPG 45 HEX 25/50**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

**Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts**

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

General ordering data

Version	50mm ² , Hexagonal crimp
Order No.	1500970000
Type	ES EPG 45 HEX 25/50
GTIN (EAN)	4050118309195
Qty.	1 pc(s).

ES EPG 45 HEX 25/50**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Depth	12 mm	Depth (inches)	0.472 inch
Height	60 mm	Height (inches)	2.362 inch
Width	30 mm	Width (inches)	1.181 inch
Net weight	140 g		

Crimp inserts

Crimp cross-section aluminium	10/35	Crimp cross-section copper	25/50
Crimping width in mm	12/5	Identification number	10/14

Description of contact

Conductor cross-section, max. AWG	1	Conductor cross-section, min. AWG	4
Crimping range, max.	50 mm ²		

tool data crimping

Cable lug cross section	nominal	25 mm ²
	nominal	50 mm ²
Crimping type/profile	Hexagonal crimp	

Classifications

ETIM 6.0	EC001282	ETIM 7.0	EC001282
ETIM 8.0	EC001282	ETIM 9.0	EC001282
ETIM 10.0	EC001282	ECLASS 9.0	21-04-90-90
ECLASS 9.1	21-01-90-90	ECLASS 10.0	21-04-90-90
ECLASS 11.0	21-04-90-90	ECLASS 12.0	21-04-90-90
ECLASS 13.0	21-04-90-90	ECLASS 14.0	21-04-90-90
ECLASS 15.0	21-04-90-90		

Environmental Product Compliance

RoHS Compliance Status	Compliant without exemption
REACH SVHC	No SVHC above 0.1 wt%

Downloads

Catalogues	Catalogues in PDF-format
Brochures	

ES EPG 45 HEX 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

25 mm²




The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-25	Version	
Order No.	1494730000	Version	cable lug, terminal end,25 mm ² ,25 mm ² ,None
GTIN (EAN)	4050118304275		
Qty.	50 pc(s).		

50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M16/-50	Version	
Order No.	1498110000	Version	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307474		
Qty.	100 pc(s).		
Type	KP-M10/-50	Version	
Order No.	1498080000	Version	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307559		
Qty.	100 pc(s).		
Type	KP-M6/-50	Version	
Order No.	1498510000	Version	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118308006		
Qty.	100 pc(s).		
Type	KP-M20/-50	Version	
Order No.	1498120000	Version	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307597		
Qty.	100 pc(s).		

ES EPG 45 HEX 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KP-M8/-50	Version	
Order No.	1498070000		cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307566		
Qty.	100 pc(s).		
Type	KP-M14/-50	Version	
Order No.	1498570000		cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118308105		
Qty.	100 pc(s).		
Type	KP-M12/-50	Version	
Order No.	1498090000		cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307375		
Qty.	100 pc(s).		

50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M16/-50 90	Version	
Order No.	1497630000		cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307115		
Qty.	100 pc(s).		
Type	KWPN-M10/-50 90	Version	
Order No.	1497610000		cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118307078		
Qty.	100 pc(s).		
Type	KWPN-M12/-50 90	Version	
Order No.	1497620000		cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118306675		
Qty.	100 pc(s).		
Type	KWPN-M8/-50 90	Version	
Order No.	1497590000		cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118306699		
Qty.	100 pc(s).		

ES EPG 45 HEX 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KP-M16/-25	Version	
Order No.	1498010000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307443		
Qty.	100 pc(s).		
Type	KP-M8/-25	Version	
Order No.	1497980000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307528		
Qty.	100 pc(s).		
Type	KP-M10/-25	Version	
Order No.	1497990000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307535		
Qty.	100 pc(s).		
Type	KP-M12/-25	Version	
Order No.	1498000000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307504		
Qty.	100 pc(s).		
Type	KP-M6/-25	Version	
Order No.	1497970000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307412		
Qty.	100 pc(s).		

ES EPG 45 HEX 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

25 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWPN-M6/-25 90	Version	
Order No.	1497490000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118306668		
Qty.	100 pc(s).		
Type	KWPN-M10/-25 90	Version	
Order No.	1497520000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118306989		
Qty.	100 pc(s).		
Type	KWPN-M12/-25 90	Version	
Order No.	1497530000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118307108		
Qty.	100 pc(s).		
Type	KWPN-M8/-25 90	Version	
Order No.	1497510000		cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118306972		
Qty.	100 pc(s).		

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-50	Version	
Order No.	1498660000		cable lug, terminal end,50 mm ² ,50 mm ² ,None
GTIN (EAN)	4050118307948		
Qty.	50 pc(s).		

ES EPG 45 HEX 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Tools



Crimping tools for cable lugs, connectors and wire-end ferrules with interchangeable inserts

- extremely fast processing thanks to hydraulic support
- large processing range up to 300 mm²
- 270° revolving quick-action crimping head
- automatic pressure limitation and monitoring via pressure sensor
- electronic control and monitoring of the crimping process
- Saving of all crimping cycles and error messages to internal memory
- Reading of all cycles and error messages via USB
- Li-ion rechargeable battery with charge status indicator: 18 V, 2 Ah

General ordering data

Type	EPG 45	Version
Order No.	1500830000	Pressing tool, 6mm ² , 150mm ² , Hexagonal crimp, WM crimp, Indent
GTIN (EAN)	4050118309317	crimp, Trapezoidal crimp, Oval crimping
Qty.	1 pc(s).	

50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data


Type	VPLN/-50	Version
Order No.	1492930000	cable lug, terminal end, 50 mm ² , 50 mm ² , None
GTIN (EAN)	4050118302684	
Qty.	100 pc(s).	

ES EPG 45 HEX 25/50

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-50 S	Version	
Order No.	1494820000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118304114		
Qty.	25 pc(s).		
Type	KRN-M8/-50 S	Version	
Order No.	1494830000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118304404		
Qty.	25 pc(s).		
Type	KRN-M10/-50 S	Version	
Order No.	1494840000		cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118304619		
Qty.	25 pc(s).		

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/50	Version	
Order No.	1493070000		cable lug, terminal end,50 mm ² ,50 mm ² ,None
GTIN (EAN)	4050118302691		
Qty.	100 pc(s).		

ES EPG 45 HEX 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M6/-50	Version
Order No.	1493510000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118303179	
Qty.	50 pc(s).	
Type	KQN-M12/-50	Version
Order No.	1493170000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118303216	
Qty.	50 pc(s).	
Type	KQN-M8/-50	Version
Order No.	1493150000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118302868	
Qty.	50 pc(s).	
Type	KQN-M10/-50	Version
Order No.	1493160000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118303049	
Qty.	50 pc(s).	
Type	KQN-M20/-50	Version
Order No.	1493530000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118303513	
Qty.	50 pc(s).	
Type	KQN-M16/-50	Version
Order No.	1493180000	cable lug, terminal end,50 mm ²
GTIN (EAN)	4050118302844	
Qty.	50 pc(s).	

ES EPG 45 HEX 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M6/-50	Version
Order No.	1496590000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305746	
Qty.	100 pc(s).	
Type	KRN-M8/-50	Version
Order No.	1496600000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306149	
Qty.	100 pc(s).	
Type	KRN-M10/-50	Version
Order No.	1496610000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306064	
Qty.	100 pc(s).	
Type	KRN-M12/-50	Version
Order No.	1496620000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305722	
Qty.	100 pc(s).	
Type	KRN-M14/-50	Version
Order No.	1495750000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305197	
Qty.	100 pc(s).	
Type	KRN-M16/-50	Version
Order No.	1496630000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306200	
Qty.	100 pc(s).	
Type	KRN-M20/-50	Version
Order No.	1495840000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305364	
Qty.	100 pc(s).	

ES EPG 45 HEX 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPLN/-25	Version	
Order No.	1492910000	cable lug, terminal end,25 mm ² ,25 mm ² ,None	
GTIN (EAN)	4050118302646		
Qty.	100 pc(s).		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M10/-25 90	Version	
Order No.	1495880000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²	
GTIN (EAN)	4050118305449		
Qty.	100 pc(s).		
Type	KWN-M12/-25 90	Version	
Order No.	1495890000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²	
GTIN (EAN)	4050118305647		
Qty.	100 pc(s).		
Type	KWN-M6/-25 90	Version	
Order No.	1495850000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²	
GTIN (EAN)	4050118305456		
Qty.	100 pc(s).		
Type	KWN-M14/-25 90	Version	
Order No.	1495900000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²	
GTIN (EAN)	4050118305517		
Qty.	100 pc(s).		

ES EPG 45 HEX 25/50


Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

Type	KWN-M8/-25 90	Version	
Order No.	1495870000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305470		
Qty.	100 pc(s).		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/25	Version	
Order No.	1493050000		cable lug, terminal end,25 mm ² ,25 mm ² ,None
GTIN (EAN)	4050118302783		
Qty.	100 pc(s).		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KRN-M12/-25	Version	
Order No.	1496520000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118306163		
Qty.	100 pc(s).		

Type	KRN-M14/-25	Version	
Order No.	1496530000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305883		
Qty.	100 pc(s).		

Type	KRN-M8/-25	Version	
Order No.	1496500000		cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²
GTIN (EAN)	4050118305975		
Qty.	100 pc(s).		

ES EPG 45 HEX 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

Type	KRN-M5/-25	Version	
Order No.	1495830000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²	
GTIN (EAN)	4050118305562		
Qty.	100 pc(s).		
Type	KRN-M6/-25	Version	
Order No.	1496490000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²	
GTIN (EAN)	4050118305784		
Qty.	100 pc(s).		
Type	KRN-M10/-25	Version	
Order No.	1496510000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²	
GTIN (EAN)	4050118305814		
Qty.	100 pc(s).		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VPN/-25	Version	
Order No.	1498640000	cable lug, terminal end,25 mm ² ,25 mm ² ,None	
GTIN (EAN)	4050118308013		
Qty.	100 pc(s).		

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KQN-M16/-25	Version	
Order No.	1493490000	cable lug, terminal end,25 mm ²	
GTIN (EAN)	4050118303148		
Qty.	50 pc(s).		

ES EPG 45 HEX 25/50

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

Type	KQN-M12/-25	Version
Order No.	1494160000	cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303902	
Qty.	50 pc(s).	
Type	KQN-M6/-25	Version
Order No.	1494130000	cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303858	
Qty.	50 pc(s).	
Type	KQN-M5/-25	Version
Order No.	1494120000	cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303827	
Qty.	50 pc(s).	
Type	KQN-M8/-25	Version
Order No.	1494140000	cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303872	
Qty.	50 pc(s).	
Type	KQN-M10/-25	Version
Order No.	1494150000	cable lug, terminal end,25 mm ²
GTIN (EAN)	4050118303865	
Qty.	50 pc(s).	

50 mm²

The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M16/-50 90	Version
Order No.	1496000000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305630	
Qty.	100 pc(s).	
Type	KWN-M10/-50 90	Version
Order No.	1495980000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305494	
Qty.	100 pc(s).	
Type	KWN-M8/-50 90	Version
Order No.	1495970000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305425	
Qty.	100 pc(s).	
Type	KWN-M6/-50 90	Version
Order No.	1495950000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305388	
Qty.	100 pc(s).	

Creation date June 13, 2025 2:31:21 AM CEST

Catalogue status 07.06.2025 / We reserve the right to make technical changes.

ES EPG 45 HEX 25/50


Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Accessories

Type	KWN-M14/-50 90	Version
Order No.	1494650000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118304251	
Qty.	100 pc(s).	
Type	KWN-M20/-50 90	Version
Order No.	1494710000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118304442	
Qty.	100 pc(s).	
Type	KWN-M12/-50 90	Version
Order No.	1495990000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305654	
Qty.	100 pc(s).	

50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M12/-50 45	Version
Order No.	1496300000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306040	
Qty.	50 pc(s).	
Type	KWN-M10/-50 45	Version
Order No.	1496290000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305760	
Qty.	50 pc(s).	
Type	KWN-M6/-50 45	Version
Order No.	1496270000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118305937	
Qty.	50 pc(s).	
Type	KWN-M8/-50 45	Version
Order No.	1496280000	cable lug, terminal end,50 mm ² ,50 mm ² - 50 mm ²
GTIN (EAN)	4050118306101	
Qty.	50 pc(s).	

ES EPG 45 HEX 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

50 mm²




The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	VSTN/-50	Version	
Order No.	1494750000		cable lug, terminal end,50 mm ² ,50 mm ² ,None
GTIN (EAN)	4050118304381		
Qty.	50 pc(s).		

50 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/-50	Version	
Order No.	1492820000		cable lug, terminal end,50 mm ² ,50 mm ²
GTIN (EAN)	4050118302769		
Qty.	50 pc(s).		

ES EPG 45 HEX 25/50

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany

www.weidmueller.com

Accessories

25 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KSN/-25	Version	
Order No.	1492800000	cable lug, terminal end,25 mm ² ,25 mm ²	
GTIN (EAN)	4050118302592		
Qty.	50 pc(s).		

240 mm²



The use of insulated connectors guarantees users consistent electrical connection quality in the long term.

- Wide range of insulated and non-insulated cable lugs and connectors
- Tubular cable lugs according to current market standards (Euroseries)
- Compression cable lugs acc. to DIN 46235
- Sheet metal cable lugs acc. to DIN 46234
- Insulated ring cable lugs to DIN 46237
- Insulated pin cable lugs to DIN 46231

General ordering data

Type	KWN-M10/-25 45	Version	
Order No.	1496200000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²	
GTIN (EAN)	4050118305593		
Qty.	100 pc(s).		
Type	KWN-M6/-25 45	Version	
Order No.	1496180000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²	
GTIN (EAN)	4050118305876		
Qty.	100 pc(s).		
Type	KWN-M12/-25 45	Version	
Order No.	1496210000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²	
GTIN (EAN)	4050118305715		
Qty.	100 pc(s).		
Type	KWN-M8/-25 45	Version	
Order No.	1496190000	cable lug, terminal end,25 mm ² ,25 mm ² - 25 mm ²	
GTIN (EAN)	4050118306231		
Qty.	100 pc(s).		